



GLFastTM

G R E A T L A K E S F A S T E N I N G



product & application catalog

A horizontal collage of four images with a blue tint. From left to right: a hand using a tool on a metal part, the interior of a car, a large industrial machine, and a close-up of a mechanical component.

***“fastening solutions,
not just fasteners”***



Headquarters:

2810 Hoitt Avenue - Knoxville, TN 37917

Toll Free: 877.969.0031 - Fax: 877.969.0032

www.glfast.com | sales@glfast.com

***Hablamos
Español!***

ABOUT US

a family-owned business committed
to customer satisfaction



Great Lakes Fastening is a family-owned business located in **Knoxville, Tennessee**. We manufacture and distribute hog rings, staples, and tools that **surpass industry standards**.

We address all of our customers by name which is a testimony to **our commitment to building long lasting relationships**.

MISSION STATEMENT

At **GLFast** we provide our customers with the **individualized service** you would expect from a family-owned business, along with the **product availability** you would expect from a large manufacturer.


We pride ourselves on providing our customers direct communication with our knowledgeable team members, in-stock inventory, and quality that raises the standard in our industry.



ISO Certified 9001 2000 Distributor

the **GLFast** **ADVANTAGE**

- **G**uaranteed custom fastening solutions to increase your productivity.
- **L**ocation specific training on the safe use of all tools.
- **F**ull line of *replacement parts in stock*.
- **A**ll orders received *before 12pm EST* will be shipped the same day.
- **S**pecialized vendor managed inventory tailored to your needs.
- **T**rained employees to help customers *every step of the way*.



EROSION CONTROL

gabions | silt fence | sand bags | straw wattles



Application:
Gabion

Fastener:
11 Gauge C-Ring

Fastening System:
GLF-50, GLF-50HP



GLF-50



GLF-50HP



1-1/2"



9/16"

1-1/2", 11 Gauge C-Ring



Application:
Silt Fence

Fastener:
16 Gauge C-Ring

Fastening System:
GLF-460, SC760



GLF-460



SC760



1/2"



1/8"

1/2", 16 Gauge C-Ring



Application:
Straw Wattle

Fastener:
16 Gauge C-Ring

Fastening System:
GLF-443, SC743



GLF-443



SC743



3/4"



3/16"

3/4", 16 Gauge C-Ring

the right fastener for every application
all fasteners are available in

Galvanized | Stainless | Basic | Galfan | Aluminum

&

Sharp or Blunt Point



Application:
Sand Bags

Fastener:
16 Gauge C-Ring

Fastening System:
G7 & P7



G7 & P7



11/16"



9/32"

11/16"
16 Gauge
C-Ring



Application:
Absorption Sock

Fastener:
15 Gauge D-Ring

Fastening System:
GLF-9/16 & Ringer 9/16



GLF-9/16



9/16"



3/16"

9/16"
15 Gauge
D-Ring

EROSION CONTROL

sod installation | geotextile fabrics | erosion control blankets



Sod Staples

Size:

4", 6", 8", 10", 12"

Gauge:

8, 9 & 11




Round Top Staples

Size:

6", 8"

Gauge:

8 & 11




Fabric Pins

Size:

12", 18", 24"

Gauge:

6



Specialty Sizes

&

Gauges Available



NURSERY

B & B trees | pot tagging | plant baskets



Application:
Ball & Burlap

Fastener:
16 Gauge C-Ring

Fastening System:
G7 & P7



G7 & P7



11/16"



9/32"

11/16"
16 Gauge
C-Ring



Application:
Pot Tagging

Fastener:
15 Gauge D-Ring

Fastening System:
GLF-9/16, Ringer 9/16



GLF-9/16




9/16"



3/16"


9/16"
15 Gauge
D-Ring




Application:
Plant Basket

Fastener:
16 Gauge C-Ring


Fastening System:
GLF-443, SC743




GLF-443



SC743



3/4"



3/16"


3/4", 16 Gauge C-Ring

the right fastener for every application
all fasteners are available in
Galvanized | Stainless | Basic | Galfan | Aluminum
&
Sharp or Blunt Point



INSULATION


insulation blankets | pipe coverings | duct work




Application:
Insulation

Fastener:
16 Gauge C-Ring

Fastening System:
G7 & P7



G7 & P7



11/16"

**11/16"
16 Gauge
C-Ring**

9/32"



Application:
Insulation Blanket

Fastener:
16 Gauge C-Ring

Fastening System:
GLF-460, SC760



GLF-460



SC760



1/2 "

1/2", 16 Gauge C-Ring

1/8"



Application:
Pipe Covering

Fastener:
16 Gauge C-Ring

Fastening System:
GLF-443, SC743



GLF-443



SC743



3/4"

3/4", 16 Gauge C-Ring

3/16"

the right fastener for every application
all fasteners are available in
Galvanized | Stainless | Basic | Galfan | Aluminum
&
Sharp or Blunt Point

insulation accessories

facing anchors | washers | quilting pins




We also offer a full line of insulation staples, tackers and tools.





FENCING, NETTING & CAGES

chain link fence | sports & bird netting | animal cages | traps



Application:
Chain Link Fence



HFP9



1 3/16"
3/16"
9 Gauge
Aluminum
D-Ring
7/16"

Fastener:
9 Gauge D-Ring

Fastening System:
HFP9



Application:
Sports Netting



GLF-460



SC760



1/2"
1/8"
1/2", 16 Gauge C-Ring

Fastener:
16 Gauge C-Ring

Fastening System:
GLF-460, SC760



Application:
Animal Cages



GLF-443



SC743



3/4"
3/16"
3/4", 16 Gauge C-Ring

Fastener:
16 Gauge C-Ring

Fastening System:
GLF-443, SC743



Application:
Cages




**Pneumatic
Clip Tool**




Hartco Clips

Fastener:
Hartco Clips


Fastening System:
Pneumatic Clip Tools



Application:
Traps



G7 & P7



11/16"
9/32"
11/16"
16 Gauge
C-Ring

Fastener:
16 Gauge C-Ring

Fastening System:
G7 & P7



Application:
Bird Netting



GLF-9/16



9/16"
3/16"
9/16"
15 Gauge
D-Ring

Fastener:
15 Gauge D-Ring

Fastening System:
GLF-9/16 & Ringer 9/16

BEDDING, AUTO & UPHOLSTERY

mattresses | furniture industry | automotive seating



Application:
Mattress

Fastener:
16 Gauge C-Ring

Fastening System:
GLF-443, SC743



GLF-4



SC-7




3/4"
3/16"
3/4", 16 Gauge C-Ring



Application:
Automotive Seat

Fastener:
15 Gauge D-Ring

Fastening System:
G22, TR203



G22



TR203



3/4"
3/4" 15 Gauge D-Ring
1/4"



We also offer a full line of STAPLES




Application:
Bedding Upholstery

Fastener:
Hartco Clips

Fastening System:
Pneumatic Clip Tools



Pneumatic Clip Tool



LOOSE RINGS

ice bags | lobster pots | bungee cords | automotive







We stock loose ring sizes from 9 gauge to 16 gauge

Need a special size?

We manufacture ANY SIZE!



PARTS | REPAIR | SERVICE

most common repairs

air leaks

Regular maintenance of your tool's O rings, seals and gaskets will prevent air loss and maximize tool life.




jaw replacement



Normal wear and tear requires regular maintenance or replacement of the jaws to prevent mis-formed staples and jamming

Mis-formed staples, such as a tear drop hog ring, are a common sign of a worn latch



tear drop staples

take the guesswork out of tool maintenance by using our complete parts kits

Thousands of replacement parts for major lines like:

GLFAST Duofast
Stanley-Bostitch Senco
BEA Joseph-Kihlberg
Fasco and **MANY MORE...**

we offer in-house tool repair with a 24-hour repair time on most tools











ask about our large inventory of



RENTAL TOOLS

FASTENER INDEX

RINGS SHOWN ACTUAL SIZE

Ring Before and After Closure										
TOOLS	SC73462	GLF460 SC760 SC760CT	GLF461 SC761	GLF4 SC7LW SC7LWE SC77LWXE SC7LWH	GLF443 SC742 SC743	GLF315 TR201 & TR203 TR313& TR315	GLF 9/16 RINGER 9/16	G7 P7	HFP9	GLF50 GLF50HP SC50T SC50HP
RING TYPE	C RING	C RING	C RING	C RING	C RING	D RING	D RING	C RING	D RING	C RING
WIRE SIZE	16 GA	16 GA	16 GA	15 GA	16 GA	15 GA	16 GA	16 GA	9 GA	11 GA
RING SIZE	3/8"	1/2"	1/2"	3/4"	3/4"	3/4"	9/16"	11/16"	1-3/16"	1-1/2"
CLOSURE SIZE (I.D. Min.-Max.)	1/16"-1/8" 1.6-3.2mm	1/8"-7/32" 3.2-5.6mm	3/16"-7/32" 4.8-5.6mm	5/16"-27//64" 7.9-10.7mm	3/16"-11/32" 4.8-8.7mm	1/4"-3/8" 6.4-9.6mm	3/16" 4.8mm	9/32"-23/64" 7.1-9.1mm	7/16" 11.1mm	9/16"-5/8" 14.3-15.9mm
STANDARD RING MATERIAL AVAILABLE	GALVANIZED ALUMINUM	GALVANIZED ALUMINUM STAINLESS	GALVANIZED ALUMINUM STAINLESS	BASIC STEEL GALVANIZED ALUMINUM STAINLESS	GALVANIZED ALUMINUM STAINLESS	BASIC STEEL GALVANIZED STAINLESS	GALVANIZED STAINLESS	GALVANIZED STAINLESS	ALUMINUM	GALVANIZED ALUMINUM STAINLESS
POINTS OFFERED	BLUNT	BLUNT SHARP	BLUNT SHARP	BLUNT SHARP	BLUNT SHARP	BLUNT SHARP	BLUNT SHARP	BLUNT SHARP	BLUNT	BLUNT SHARP
RING SERIES	316 Series	516 Series	516 Series	15 Series	16 Series	15 Series	515 Series	616 Series	09 Series	11 Series
RING STICK QUANTITY	130	100	100	100	110	50	50	50	25	50
RING BOX QUANTITY	13,000	10,000	10,000	10,000	11,000	10,000	2,500	2,500	2,500	1,600

VISIT

www.glfast.com

for complete product listings and more!



GLFastTM
G R E A T L A K E S F A S T E N I N G

Headquarters: 2810 Hoitt Avenue | Knoxville, TN 37917 | Toll Free: 877.969.0031 | Fax: 877.969.0032 | www.glfast.com | sales@glfast.com